



ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

J. Math. Pures Appl. 101 (2014) 716–733

JOURNAL
DE
MATHÉMATIQUES
PURES ET APPLIQUÉESwww.elsevier.com/locate/matpur

Nearly cloaking the full Maxwell equations: Cloaking active contents with general conducting layers

Gang Bao^{a,b}, Hongyu Liu^c, Jun Zou^{d,*}^a Department of Mathematics, Zhejiang University, Hangzhou 310027, China^b Department of Mathematics, Michigan State University, East Lansing, MI 48824, USA^c Department of Mathematics and Statistics, University of North Carolina, Charlotte, NC 28223, USA^d Department of Mathematics, The Chinese University of Hong Kong, Shatin, Hong Kong

Received 21 February 2013

Available online 10 October 2013

Abstract

The regularized near-cloak via the transformation optics approach in the time-harmonic electromagnetic scattering is considered. This work extends the existing studies mainly in two aspects. First, it presents a near-cloak construction by incorporating a much more general conducting layer between the cloaked and cloaking regions. This might be of significant practical importance when production fluctuations occur. Second, it allows the cloaked contents to be both passive and active with an applied current inside. In assessing the near-cloaking performance, comprehensive and sharp estimates are derived for the scattering amplitude in terms of the asymptotic regularization parameter and the material tensors of the conducting layer. The scattering estimates are independent of the passive/active contents being cloaked, which implies that one could nearly cloak arbitrary contents by using the proposed near-cloak construction.

© 2013 Elsevier Masson SAS. All rights reserved.

Résumé

Cet article traite de la régularisation de l'invisibilité intérieure pour les ondes électromagnétiques en régime harmonique, en se basant sur la transformation optique. Il améliore les résultats déjà obtenus sur ce sujet selon deux directions. D'abord, on présente une construction assez générale de structures d'invisibilité qui incorpore une couche conductrice. Ensuite, on démontre la possibilité de placer une source active dans la région invisible sans qu'elle soit détectée. Afin d'évaluer les performances de la construction proposée on établit des estimations fines de l'amplitude de diffusion en fonction du paramètre de régularisation et des propriétés physiques de la couche conductrice. Ces estimations sont uniformes par rapport aux objets placés dans la région d'invisibilité. Ceci montre que la construction proposée dans cet article permet de rendre invisible des objets arbitraires.

© 2013 Elsevier Masson SAS. All rights reserved.

MSC: 35Q60; 78A25; 35R30

Keywords: Electromagnetic scattering; Maxwell's equations; Invisibility cloaking; Transformation optics; Asymptotic estimates

* Corresponding author.

E-mail addresses: bao@math.msu.edu (G. Bao), hongyu.liuip@gmail.com (H. Liu), zou@math.cuhk.edu.hk (J. Zou).

1. Introduction

This work is concerned with the invisibility cloaking for electromagnetic (EM) waves via the approach of transformation optics [24,25,32,45]. This is a rapidly growing research area with many potential applications, and we refer to [14,22,23,42,47,48] and the references therein for the recent progresses in both theories and experiments.

We consider two bounded simply connected smooth domains D and Ω in \mathbb{R}^3 , with $D \subseteq \Omega$, and three real symmetric matrix-valued functions $\tilde{\varepsilon} = (\tilde{\varepsilon}^{ij})_{i,j=1}^3$, $\tilde{\mu} = (\tilde{\mu}^{ij})_{i,j=1}^3$ and $\tilde{\sigma} = (\tilde{\sigma}^{ij})_{i,j=1}^3$ in Ω , satisfying

$$c|\xi|^2 \leq \sum_{i,j=1}^3 \tilde{\varepsilon}^{ij}(x)\xi_i\xi_j \leq C|\xi|^2, \quad c|\xi|^2 \leq \sum_{i,j=1}^3 \tilde{\mu}^{ij}(x)\xi_i\xi_j \leq C|\xi|^2 \tag{1.1}$$

and

$$0 \leq \sum_{i,j=1}^3 \tilde{\sigma}^{ij}(x)\xi_i\xi_j \leq C|\xi|^2, \tag{1.2}$$

for all $x \in \Omega$ and $\xi = (\xi_i)_{i=1}^3 \in \mathbb{R}^3$. Here the constants c and C , or c_l and C_l for $l = 0, 1, 2$ in the rest of the work, are used for generic positive constants whose meanings should be clear from the contexts. Physically, functions $\tilde{\varepsilon}$, $\tilde{\mu}$ and $\tilde{\sigma}$ stand respectively for the electric permittivity, magnetic permeability and conductivity tensors of a *regular* EM medium occupying Ω . In this work, we shall often refer to (1.1) and (1.2) as the *regular conditions* for an EM medium, and write $(\Omega; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma})$ for an EM medium residing in Ω . We always assume that the EM medium inclusion $(\Omega; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma})$ is located in a uniformly homogeneous space where the EM parameters are given by ε_0, μ_0 and σ_0 . It is assumed that $\sigma_0^{ij} = 0$ and $\varepsilon_0^{ij} = \mu_0^{ij} = \delta^{ij}$ for the ease of our exposition, where δ^{ij} is the Kronecker delta function. We shall be concerned with an EM medium distribution in the whole space \mathbb{R}^3 as follows:

$$\mathbb{R}^3; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma} = \begin{cases} \varepsilon_0, \mu_0, \sigma_0 & \text{in } \mathbb{R}^3 \setminus \overline{\Omega}, \\ \varepsilon_c, \mu_c, \sigma_c & \text{in } \Omega \setminus \overline{D}, \\ \tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a & \text{in } D, \end{cases} \tag{1.3}$$

where the mediums in D and $\Omega \setminus \overline{D}$ will be specified appropriately in the sequel wherever it is necessary.

Next, we consider the EM scattering corresponding to an EM medium described in (1.3). To this end, we first introduce the governing equations. Let $\omega \in \mathbb{R}_+$ be the wave frequency, and $E^i, H^i \in \mathbb{C}^3$ be the incident EM fields that are (real analytic) entire solutions to the time-harmonic Maxwell equations

$$\nabla \wedge E^i - i\omega\mu_0 H^i = 0, \quad \nabla \wedge H^i + i\omega\varepsilon_0 E^i = 0 \quad \text{in } \mathbb{R}^3. \tag{1.4}$$

Then the EM wave propagation in the whole space \mathbb{R}^3 with an EM medium inclusion $(\Omega; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma})$ as described in (1.3) is governed by the following Maxwell system

$$\begin{cases} \nabla \wedge \tilde{E} - i\omega\tilde{\mu}\tilde{H} = 0 & \text{in } \mathbb{R}^3, \\ \nabla \wedge \tilde{H} + i\omega\left(\tilde{\varepsilon} + i\frac{\tilde{\sigma}}{\omega}\right)\tilde{E} = \tilde{J} & \text{in } \mathbb{R}^3, \\ \tilde{E}^- = \tilde{E}|_{\Omega}, \quad \tilde{E}^+ = (\tilde{E} - E^i)|_{\mathbb{R}^3 \setminus \overline{\Omega}} & \\ \tilde{H}^- = \tilde{H}|_{\Omega}, \quad \tilde{H}^+ = (\tilde{H} - H^i)|_{\mathbb{R}^3 \setminus \overline{\Omega}} & \\ \lim_{|x| \rightarrow +\infty} |x| \left| (\nabla \wedge \tilde{E}^+)(x) \wedge \frac{x}{|x|} - i\omega\tilde{E}^+(x) \right| = 0, & \end{cases} \tag{1.5}$$

where $\tilde{J} \in \mathbb{C}^3$ denotes an electric current density, and $\text{supp}(\tilde{J}) \subset \Omega$. In (1.5), \tilde{E} and \tilde{H} are respectively the electric and magnetic fields, and \tilde{E}^+ and \tilde{H}^+ are known as the scattered fields (cf. [16,41]). The last relation in (1.5) is called the Silver–Müller radiation condition, which characterizes the radiating nature of the scattered wave fields \tilde{E}^+ and \tilde{H}^+ . For a regular EM medium $(\Omega; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma})$ and an active electric current $\tilde{J} \in L^2(\Omega)^3$, there exists a unique pair of solutions $\tilde{E}, \tilde{H} \in H_{loc}(\nabla \wedge; \mathbb{R}^3)$ (see [31,41]), and \tilde{E}^+ admits the asymptotic expression as $|x| \rightarrow \infty$ (cf. [16]):

$$\tilde{E}^+(x) = \frac{e^{i\omega|x|}}{|x|} A_\infty\left(\frac{x}{|x|}; E^i\right) + \mathcal{O}\left(\frac{1}{|x|^2}\right), \quad (1.6)$$

where $A_\infty(\hat{x}; E^i)$ with $\hat{x} := x/|x| \in \mathbb{S}^2$ is known as the *scattering amplitude*. In the above and sequel, we shall often use the spaces

$$H_{loc}(\nabla \wedge; X) = \{U|_B \in H(\nabla \wedge; B) \mid B \text{ is any bounded subdomain of } X\},$$

and

$$H(\nabla \wedge; B) = \{U \in (L^2(B))^3 \mid \nabla \wedge U \in (L^2(B))^3\}.$$

Clearly, the scattering amplitude A_∞ depends also on the underlying passive EM medium $(\Omega; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma})$ and the active electric current \tilde{J} , hence we shall write $A_\infty(\hat{x}; E^i, (\Omega; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma}), \tilde{J})$ to emphasize such dependence if necessary. An important *inverse scattering problem* arising from practical applications is to recover the medium $(\Omega; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma})$ and/or the current \tilde{J} by knowledge of $A_\infty(\hat{x}; E^i)$. This inverse problem is of fundamental importance to many areas of science and technology, such as radar and sonar, geophysical exploration, non-destructive testing, and medical imaging. We refer the readers to [4,10,30,43,44] and the references therein for the studies on uniqueness and stability of this inverse problem. In the present work, we are mainly concerned with the invisibility cloaking.

Definition 1.1. Consider an EM medium as described in (1.3), where $(D; \tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a)$ and $(\Omega \setminus \bar{D}; \varepsilon_c, \mu_c, \sigma_c)$ are the target and designed cloaking EM media respectively, and $\tilde{J} \in L^2(\Omega)^3$ is an active object in Ω . The medium $(\Omega; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma})$ is called an (ideal) invisibility cloaking device if no scattered fields are generated outside Ω , or equivalently

$$A_\infty(\hat{x}; E^i, (\Omega; \tilde{\varepsilon}, \tilde{\mu}, \tilde{\sigma}), \tilde{J}) = 0.$$

Based on Definition 1.1, the designed cloaking medium $(\Omega \setminus \bar{D}; \varepsilon_c, \mu_c, \sigma_c)$ makes the target medium $(D; \tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a)$ and the active/radiating source \tilde{J} invisible to the exterior EM detectors. From a practical point of view, the target medium and the electric current, $(D; \tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a)$ and \tilde{J} , should be allowed to be arbitrary for a cloaking device. This viewpoint would be adopted for our subsequent construction and investigation of the near-cloaking device. By the unique continuation principle for Maxwell's equations (cf. [16]), it is readily seen that for an ideal invisibility cloaking device, the scattered EM wave fields are completely trapped inside the device. The ideal invisibility cloaking of generic passive media was investigated in [21,45], and it turns out that one has to implement singular EM media. Indeed, the ideal invisibility constructions for the Maxwell equations proposed in [21,45] make use of cloaking media $(\Omega \setminus \bar{D}; \varepsilon_c, \mu_c)$ which violate the regular conditions (1.1). Furthermore, it is shown in [21] that if one intends to ideally cloak an active current, in addition to the singular cloaking medium, one needs to implement a special singular double coating to defeat the blow-up of the EM fields within the cloaked region. The singular media present a great challenge for both theoretical analysis and practical fabrications. Several regularized constructions have been developed to avoid the singular structures. A truncation of singularities has been introduced in [19,20,46], and the 'blow-up-a-point' transformation from [25,32,45] has been regularized to become a 'blow-up-a-small-region' transformation in [28,29,36]. By incorporating regularization into the cloaking construction, instead of the ideal/perfect invisibility, one considers the approximate/near invisibility; that is, to build up a regularized cloaking device so that the resulting scattering amplitude is nearly negligible in terms of an asymptotically small regularization parameter $\rho \in \mathbb{R}_+$. This is the central focus of the current paper. For this purpose, we shall adopt the blow-up-a-small-region strategy in the present study. Nevertheless, the truncation-of-singularity construction and the blow-up-a-small-region construction are equivalent to each other, as pointed out in [27]. Hence, all of the results obtained in this work hold equally for the truncation-of-singularity construction.

Due to its practical importance, the approximate cloaking has recently been extensively studied. In [29,5], approximate cloaking schemes were developed for electric impedance tomography which can be regarded as optics at zero frequency. In [6,7,28,33,35,36], several near-cloaking schemes were presented for scalar waves governed by the Helmholtz equation. On the contrary, not much has been done yet for the approximate cloaking of the full Maxwell equations. In [37], the approximate cloaking was developed for the full Maxwell equations, where the near-cloaking construction is composed of three parts: a cloaked region $D^{(1)}$ containing the target medium $(\tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a)$;

a conducting layer $(D^{(2)}; \tilde{\epsilon}_l, \tilde{\mu}_l, \tilde{\sigma}_l)$ located right outside the cloaked region $D^{(1)}$, and a cloaking layer $(\Omega \setminus \bar{D}; \epsilon_c^\rho, \mu_c^\rho)$ outside $D = D^{(1)} \cup D^{(2)}$, where $\rho \in \mathbb{R}_+$ is the regularizer and $(\epsilon_c^\rho, \mu_c^\rho)$ degenerates to the singular cloaking medium in [21,45] as $\rho \rightarrow 0$. The conducting layer $(D^{(2)}; \tilde{\epsilon}_l, \tilde{\mu}_l, \tilde{\sigma}_l)$ between the cloaked and cloaking regions $D^{(1)}$ and $\Omega \setminus \bar{D}$ appears to be crucial to a practical near-cloaking construction. In fact, it is shown [37] that without the conducting layer, there always exist cloak-busting inclusions which defy any attempt to achieve the near-cloak, no matter how small the regularization parameter ρ is. This reflects the highly unstable nature of the ideal invisibility cloaking with singular structures. However, the results of [37] were established only for the spherical geometry and the uniform cloaked content, namely both Ω and D were assumed to be Euclidean balls and the medium parameters $\tilde{\epsilon}_a, \tilde{\mu}_a$ and $\tilde{\sigma}_a$ were all constants multiple of the identity matrix. Under these special settings, the Fourier–Bessel technique can be used to derive the analytic series expansions of the EM fields [37], enabling one to assess the corresponding near-cloaking performance. Later, the study in [37] was generalized in [11] such that Ω and D could be general smooth domains and the cloaked content could be an arbitrary regular passive medium. However, the conducting layer adopted in [11] for the cloaking construction is the same as the one in [37], whose material tensors depend uniformly on the asymptotic parameter ρ in a specific manner (see Remark 2.2).

In this work, we investigate the near-cloaking devices with more general conducting layers. The material tensors of the conducting layers could be anisotropic, dependent on or independent of the regularization parameter ρ . On the one hand, this would extend the studies in the literature to an extremely general case, and on the other hand it would be significant to practical applications when fabrication fluctuations occur. Moreover, only passive cloaked contents were studied for nearly cloaking so far, not any active contents involved. We shall investigate the nearly cloaking of both passive and active contents. In assessing the near-cloaking performance, we derive some systematic and sharp asymptotic estimates of the scattering amplitude in terms of the regularization parameter ρ and the material tensors of the conducting layer. Our estimates are independent of the passive/active contents being cloaked. This implies that one could nearly cloak an arbitrary content. Furthermore, the estimates can provide some practical guidance in choosing an appropriate conducting layer to improve the near cloaking of active contents. In addition, we emphasize that the asymptotic estimates were given in terms of the boundary measurements in [11,37], whereas the asymptotic estimates are derived in terms of the scattering measurements in this work and the corresponding asymptotic analysis is more delicate and technical.

In addition to the transformation-optics approach adopted in the present study, there are several other effective approaches in the literature to realize the near-cloaking, and we mention the one based on anomalous localized resonance [3,39] and another one based on special (object-dependent) coatings [1]. Finally, we also mention a recent interesting work in [2], where the near-cloaking of a perfectly conducting obstacle was studied for the full Maxwell equations.

The rest of the paper is organized as follows. In Section 2, we present the construction of our near-cloaking device and state the main result of the paper in estimating the cloaking performance. Section 3 is devoted to the proof of the main result.

2. Near-cloak construction and the main result

In this section, we present the construction of our near-cloaking device and formulate the major result in assessing the corresponding cloaking performance.

Let D and Ω be two bounded simply connected smooth domains in \mathbb{R}^3 such that $D \Subset \Omega$ and D contains the origin. For $\rho \in \mathbb{R}_+$, we set

$$D_\rho := \{\rho x; x \in D\}.$$

Let $0 < \rho < 1$ be a small parameter. Assume that there exists an orientation-preserving and bi-Lipschitz mapping $F_\rho : \bar{\Omega} \setminus D_\rho \rightarrow \bar{\Omega} \setminus D$ such that

$$F_\rho(\bar{\Omega} \setminus D_\rho) = \bar{\Omega} \setminus D \quad \text{and} \quad F_\rho|_{\partial\Omega} = \text{Identity}. \tag{2.1}$$

Now we define a transformation F by

$$F(x) = \begin{cases} x, & x \in \mathbb{R}^3 \setminus \sqrt{\Omega}, \\ F_\rho(x), & x \in \Omega \setminus \bar{D}_\rho, \\ \frac{x}{\rho}, & x \in D_\rho, \end{cases} \tag{2.2}$$

and an EM medium inside $\Omega \setminus \bar{D}$ by

$$\varepsilon_c^\rho(x) = F_*\varepsilon_0(x), \quad \mu_c^\rho(x) = F_*\mu_0(x), \quad \sigma_c^\rho(x) = 0 \tag{2.3}$$

for $x \in \Omega \setminus \bar{D}$. Here F_* denotes the *push-forward* operator defined by

$$F_*m(x) := \frac{DF(y) \cdot m(y) \cdot DF(y)^T}{|\det(DF)(y)|} \Big|_{y=F^{-1}(x)}, \quad x \in \Omega \setminus \bar{D}, \tag{2.4}$$

where $m(y)$ denotes an EM parameter in $\Omega \setminus \bar{D}_\rho$, such as ε , μ or σ , and DF represents the Jacobian matrix of the transformation F . In the sequel, we may often write (2.3) as

$$(\Omega \setminus \bar{D}; \varepsilon_c^\rho, \mu_c^\rho) = F_*(\Omega \setminus \bar{D}_\rho; \varepsilon_0, \mu_0) := (F(\Omega \setminus \bar{D}_\rho); F_*\varepsilon_0, F_*\mu_0).$$

Similarly, we set

$$(D \setminus \bar{D}_{1/2}; \tilde{\varepsilon}_l, \tilde{\mu}_l, \tilde{\sigma}_l) = F_*(D_\rho \setminus \bar{D}_{\rho/2}; \varepsilon_l, \mu_l, \sigma_l), \tag{2.5}$$

where $\varepsilon_l(x)$, $\sigma_l(x)$ and $\mu_l(x)$ are given by

$$\varepsilon_l(x) = \rho^{-r}\alpha(x/\rho), \quad \sigma_l(x) = \rho^{-s}\beta(x/\rho), \quad \mu_l(x) = \rho^{-t}\gamma, \quad x \in D_\rho \setminus \bar{D}_{\rho/2}, \tag{2.6}$$

for $r, s, t \in \mathbb{R}$. Here $\alpha(x) = (\alpha^{ij}(x))$ and $\beta(x) = (\beta^{ij}(x))$ are the material tensors for a regular EM medium in $\bar{D} \setminus D_{1/2}$, and are assumed to satisfy

$$c_0|\xi|^2 \leq \sum_{i,j=1}^3 m_l^{ij}(x)\xi_i\xi_j \leq C_0|\xi|^2 \quad \text{for } \forall \xi \in \mathbb{R}^3 \text{ and a.e. } x \in \bar{D} \setminus D_{1/2}, \tag{2.7}$$

for $m_l = \alpha$ or β . $\gamma = (\gamma^{ij})$ is assumed to be of the form

$$\gamma^{-1} = \eta(\delta^{ij}), \tag{2.8}$$

where η is a constant satisfying $c_0 \leq \eta \leq C_0$. Now, we consider an EM medium distribution in \mathbb{R}^3 as follows:

$$\mathbb{R}^3; \tilde{\varepsilon}_\rho, \tilde{\mu}_\rho, \tilde{\sigma}_\rho = \begin{cases} \varepsilon_0, \mu_0, \sigma_0 & \text{in } \mathbb{R}^3 \setminus \bar{\Omega}, \\ \varepsilon_c^\rho, \mu_c^\rho, \sigma_c^\rho & \text{in } \Omega \setminus \bar{D}, \\ \tilde{\varepsilon}_l, \tilde{\mu}_l, \tilde{\sigma}_l & \text{in } D \setminus \bar{D}_{1/2}, \\ \tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a & \text{in } D_{1/2}, \end{cases} \tag{2.9}$$

where $(\Omega \setminus \bar{D}; \varepsilon_c^\rho, \mu_c^\rho, \sigma_c^\rho)$ and $(D \setminus \bar{D}_{1/2}; \tilde{\varepsilon}_l, \tilde{\mu}_l, \tilde{\sigma}_l)$ are given in (2.3) and (2.5) respectively, and $(D_{1/2}; \tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a)$ is an arbitrary regular EM medium. Associated with the EM medium distribution $(\mathbb{R}^3; \tilde{\varepsilon}_\rho, \tilde{\mu}_\rho, \tilde{\sigma}_\rho)$, the EM scattering due to the incident fields (E^i, H^i) can be described by

$$\begin{cases} \nabla \wedge \tilde{E}_\rho - i\omega\tilde{\mu}_\rho\tilde{H}_\rho = 0 & \text{in } \mathbb{R}^3, \\ \nabla \wedge \tilde{H}_\rho + i\omega\left(\tilde{\varepsilon}_\rho + i\frac{\tilde{\sigma}_\rho}{\omega}\right)\tilde{E}_\rho = \tilde{J} & \text{in } \mathbb{R}^3, \\ \tilde{E}_\rho^- = \tilde{E}_\rho|_\Omega, \quad \tilde{E}_\rho^+ = (\tilde{E}_\rho - E^i)|_{\mathbb{R}^3 \setminus \bar{\Omega}}, \\ \tilde{H}_\rho^- = \tilde{H}_\rho|_\Omega, \quad \tilde{H}_\rho^+ = (\tilde{H}_\rho - H^i)|_{\mathbb{R}^3 \setminus \bar{\Omega}}, \\ \lim_{|x| \rightarrow \infty} |x| \left| (\nabla \wedge \tilde{E}_\rho^+)(x) \wedge \frac{x}{|x|} - i\omega\tilde{E}_\rho^+(x) \right| = 0, \end{cases} \tag{2.10}$$

where $\tilde{J} \in L^2(D)^3$ denotes an electric current in D . We shall assume that

$$(\tilde{\sigma}_a(x)\xi) \cdot \xi \geq c_0|\xi|^2 \quad \text{for } \forall \xi \in \mathbb{R}^3 \text{ and a.e. } x \in \text{supp}(\tilde{J}) \cap D_{1/2}. \tag{2.11}$$

We refer to (2.10) as the scattering problem in the physical space.

We are now in a position to state the main result of this paper.

Theorem 2.1. Let $(\mathbb{R}^3; \tilde{\varepsilon}_\rho, \tilde{\mu}_\rho, \tilde{\sigma}_\rho)$ be the passive EM medium described by (2.3)–(2.8), (2.9) and (2.11), $\tilde{J} \in L^2(D)^3$ be an active current in D , and ζ_1, ζ_2 be the parameters given by

$$\zeta_1 := \min(s + 1, s + 5 - 2(t + r), 5 - 2t - s), \tag{2.12}$$

$$\zeta_2 := \min(s, s + 2 - t - r, 2 - t). \tag{2.13}$$

Assume $r, s, t \in \mathbb{R}$ are chosen such that $\zeta_1 > 0$. Let $\tilde{A}_\infty^\rho(\hat{x}) := A_\infty(\hat{x}; E^i, (\Omega; \tilde{\varepsilon}_\rho, \tilde{\mu}_\rho, \tilde{\sigma}_\rho), \tilde{J})$ be the scattering amplitude corresponding to \tilde{E}_ρ^+ in (2.10). Then there exists a positive constant ρ_0 such that for any $\rho < \rho_0$,

$$\|\tilde{A}_\infty^\rho(\hat{x}; E^i)\|_{L^\infty(\mathbb{S}^2)} \leq C(\rho^{\min(\zeta_1, 3)} \|E^i\|_{H(\nabla \wedge; \Omega)} + \rho^{\frac{\zeta_1}{2}} \|\tilde{J}\|_{L^2(D_{1/2})^3} + \rho^{\zeta_2} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3}) \tag{2.14}$$

where C is a positive constant depending only on $\alpha, \beta, \gamma, \omega, c_0$ in (2.11), C_0 in (2.7) and Ω, D , but independent of ρ, r, s, t and $\tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a, \tilde{J}, E^i$.

The proof of Theorem 2.1 will be given in Section 3. In the rest of this section, we give some remarks about the implications and practical significance of Theorem 2.1 to the approximate invisibility cloaking.

Remark 2.1. By Theorem 2.1, it is readily seen that (2.9) yields a near-invisibility cloak, which is capable of nearly cloaking a passive medium $(D_{1/2}; \tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a)$, an active current in both $D_{1/2}$ and $D \setminus D_{1/2}$, with an accuracy of orders $\rho^{\min(\zeta_1, 3)}$, $\rho^{\zeta_1/2}$, and ρ^{ζ_2} respectively. We note that ζ_2 is required to be positive in order to achieve the cloaking effect, but Theorem 2.1 will be proved without this requirement. Hence, the estimate (2.14) is rather general in this sense. The estimate (2.14) is independent of the passive medium $(D_{1/2}; \tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a)$ and the active current \tilde{J} , so the contents being cloaked could be arbitrary. Clearly, this is of significant importance for a near-cloaking device in applications. We mention that the cloaking of active contents was studied in [21], where the authors considered the ideal cloaking by employing the singular cloaking medium $(\varepsilon_c^\rho, \mu_c^\rho)$ in the theoretic limiting case $\rho = +0$. However, it was shown there that one cannot cloak an active content by merely using $(\varepsilon_c^\rho, \mu_c^\rho)$ in the theoretic limiting case $\rho = +0$, otherwise one would have the blow-up of the EM fields within the cloaked region. Theorem 2.1 indicates that our near-cloaking construction (2.9) is much more stable, even in cloaking active contents.

Remark 2.2. By (2.5) and (2.6), it is straightforward to show that in the physical space,

$$\tilde{\varepsilon}_l(x) = \rho^{1-r} \alpha(x), \quad \tilde{\sigma}_l(x) = \rho^{1-s} \beta(x), \quad \tilde{\mu}_l(x) = \rho^{1-t} \gamma(x), \quad x \in D \setminus \bar{D}_{1/2}. \tag{2.15}$$

Hence, if we take $r = t = 0, s = 2$, and $\alpha = \beta = \gamma = C_0(\delta^{ij})$ with C_0 being a positive constant, we obtain the conducting layer employed in [11,37]. In this case we have $\min(\zeta_1, 3) = 3$, hence Theorem 2.1 recovers the results in [11,37] in near-cloaking passive mediums within an accuracy of order ρ^3 . It is interesting to note that by taking $r = s = t = 1$, the conducting layer (2.15) is independent of the asymptotic parameter ρ , and the estimate (2.14) reduces to

$$|\tilde{A}_\infty^\rho(\hat{x}; E^i)| \leq C(\rho^2 \|E^i\|_{H(\nabla \wedge; \Omega)} + \rho \|\tilde{J}\|_{L^2(D)^3}). \tag{2.16}$$

That is, by employing a regular conducting layer without relating to the regularization parameter ρ , one could achieve a near-invisibility cloak which is capable of cloaking a passive content and an active content with an accuracy of order ρ^2 and ρ respectively. On the other hand, we emphasize that our incorporation of the anisotropic parameters α and β is of significant interests in applications where some fabrication fluctuations occur. Moreover, our general estimate would provide a guideline for practically choosing the conducting layer to produce customized near-cloaking effects. For instance, if we take $r = 0, t = -s$ with $s \in \mathbb{R}_+$, then one can check that the larger the index s is, the better accuracy of near-cloaking the current \tilde{J} that one can achieve.

3. Proof of the major result

This section is devoted to the proof of Theorem 2.1, the major result of this work. We first collect some important function spaces that are needed for the subsequent analysis.

3.1. Function spaces

Let Γ be the smooth boundary of a bounded domain in \mathbb{R}^3 , with ν being its outward unit normal vector. It is known that $H^s(\Gamma)$ is well-defined for $|s| \leq 2$ (cf. [26,34]). By $TH^s(\Gamma)$ we denote the subspace of all the functions $U \in H^s(\Gamma)^3$, which are orthogonal to the unit outward normal vector ν . For $|s| \leq 2$, we can decompose a $U \in H^s(\Gamma)^3$ into a sum of the form $U = U_t + \nu U_\nu$, where U_t and U_ν are the tangential and normal components, i.e., $U_t = -\nu \wedge (\nu \wedge U)$, $U_\nu = \langle \nu, U \rangle$. This gives rise to a decomposition of $H^s(\Gamma)^3$ for $|s| \leq 2$: $H^s(\Gamma)^3 = TH^s(\Gamma) \oplus NH^s(\Gamma)$. Since Γ is smooth, we know $TH^s(\Gamma)$ coincides with $\nu \wedge H^s(\Gamma)^3$. Let Div be the surface divergence operator on Γ , then we will frequently use in the sequel the following dual space of $TH^{1/2}(\Gamma)$:

$$TH_{\text{Div}}^{-1/2}(\Gamma) = \{U \in TH^{-1/2}(\Gamma) \mid \text{Div}(U) \in H^{-1/2}(\Gamma)\},$$

and a skew-symmetric bilinear form $\mathcal{B}: TH_{\text{Div}}^{-1/2}(\Gamma) \wedge TH_{\text{Div}}^{-1/2}(\Gamma) \rightarrow \mathbb{C}$, given by the non-degenerate duality product (cf. [17]):

$$\mathcal{B}(\mathbf{j}, \mathbf{m}) = \int_{\Gamma} \mathbf{j} \cdot (\mathbf{m} \wedge \nu) ds, \quad \forall \mathbf{j}, \mathbf{m} \in TH_{\text{Div}}^{-1/2}(\Gamma). \tag{3.1}$$

3.2. Proof of Theorem 2.1

We first present a lemma with some key ingredients of the transformation optics, whose proof is available in [37].

Lemma 3.1. *Let $(\Omega; \varepsilon, \mu, \sigma)$ be a regular EM medium, $J \in L^2(\Omega)^3$ be a current in Ω , and $x' = \mathcal{F}(x) : \Omega \rightarrow \Omega$ be a bi-Lipschitz and orientation-preserving mapping, whose restriction on $\partial\Omega$ is the identity. Suppose that $E, H \in H(\nabla \wedge; \Omega)$ are the EM fields satisfying*

$$\begin{aligned} \nabla \wedge E - i\omega\mu H &= 0 \quad \text{in } \Omega, \\ \nabla \wedge H + i\omega\left(\varepsilon + i\frac{\sigma}{\omega}\right)E &= J \quad \text{in } \Omega. \end{aligned}$$

If we define the pull-back fields by

$$\begin{aligned} E' &= (\mathcal{F}^{-1})^* E := (D\mathcal{F})^{-T} E \circ \mathcal{F}^{-1}, \\ H' &= (\mathcal{F}^{-1})^* H := (D\mathcal{F})^{-T} H \circ \mathcal{F}^{-1}, \\ J' &= (\mathcal{F}^{-1})^* J := \frac{1}{|\det(D\mathcal{F})|} (D\mathcal{F})J \circ \mathcal{F}^{-1}, \end{aligned}$$

then the pull-back fields $E', H' \in H(\nabla' \wedge; \Omega)$ satisfy the following Maxwell equations

$$\begin{aligned} \nabla' \wedge E' - i\omega\mu' H' &= 0 \quad \text{in } \Omega, \\ \nabla' \wedge H' + i\omega\left(\varepsilon' + i\frac{\sigma'}{\omega}\right)E' &= J' \quad \text{in } \Omega, \end{aligned}$$

where $\nabla' \wedge$ denotes the curl operator in the x' -coordinates, ε', μ' and σ' are the push-forwards of ε, μ and σ via \mathcal{F} , i.e., $(\Omega; \varepsilon', \mu', \sigma') = \mathcal{F}_*(\Omega; \varepsilon, \mu, \sigma)$. Moreover, we have

$$\nu \wedge E' = \nu \wedge E, \quad \nu \wedge H' = \nu \wedge H \quad \text{on } \partial\Omega.$$

Next, for the EM fields $(\tilde{E}_\rho, \tilde{H}_\rho)$ described by (2.10) associated with the physical scattering problem, we define

$$E_\rho = F^* \tilde{E}_\rho \quad \text{and} \quad H_\rho = F^* \tilde{H}_\rho, \tag{3.2}$$

where F is the transformation given by (2.2). They by Lemma 3.1 it is straightforward to verify that the two fields $E_\rho, H_\rho \in H_{loc}(\nabla \wedge; \mathbb{R}^3)$, and satisfy the following system:

$$\begin{cases} \nabla \wedge E_\rho - i\omega\mu_\rho H_\rho = 0 & \text{in } \mathbb{R}^3, \\ \nabla \wedge H_\rho + i\omega\left(\varepsilon_\rho + i\frac{\sigma_\rho}{\omega}\right)E_\rho = J & \text{in } \mathbb{R}^3, \\ E_\rho^- = E_\rho|_{D_\rho}, \quad E_\rho^+ = (E_\rho - E^i)|_{\mathbb{R}^3 \setminus \overline{D}_\rho}, \\ H_\rho^- = H_\rho|_{D_\rho}, \quad H_\rho^+ = (H_\rho - H^i)|_{\mathbb{R}^3 \setminus \overline{D}_\rho}, \\ \lim_{|x| \rightarrow \infty} |x| \left| (\nabla \wedge E_\rho^+)(x) \wedge \frac{x}{|x|} - i\omega E_\rho^+(x) \right| = 0, \end{cases} \quad (3.3)$$

where $J(x)$ and the EM medium $(\varepsilon_\rho, \mu_\rho, \sigma_\rho)$ are given by

$$J(x) := F^* \tilde{J}(x) = \frac{1}{\rho^2} \tilde{J}\left(\frac{x}{\rho}\right), \quad x \in D_\rho, \quad (3.4)$$

and

$$\mathbb{R}^3; \varepsilon_\rho, \mu_\rho, \sigma_\rho = \begin{cases} \varepsilon_0, \mu_0, \sigma_0 & \text{in } \mathbb{R}^3 \setminus \overline{D}_\rho, \\ \varepsilon_l, \mu_l, \sigma_l & \text{in } D_\rho \setminus \overline{D}_{\rho/2}, \\ \varepsilon_a, \mu_a, \sigma_a & \text{in } D_{\rho/2}, \end{cases} \quad (3.5)$$

with $(D_\rho \setminus \overline{D}_{\rho/2}; \varepsilon_l, \mu_l, \sigma_l)$ given in the form (2.6)–(2.8), and

$$(D_{\rho/2}; \varepsilon_a, \mu_a, \sigma_a) := (F^{-1})_*(D_{\rho/2}; \tilde{\varepsilon}_a, \tilde{\mu}_a, \tilde{\sigma}_a). \quad (3.6)$$

For our subsequent use, we note by (2.2), (2.4) and straightforward calculations that

$$m_a(x) = \rho^{-1} \tilde{m}_a(\rho^{-1}x), \quad x \in D_{\rho/2} \quad (3.7)$$

for $m = \varepsilon, \mu, \sigma$, hence it follows from (2.11) that

$$(\sigma_a(x)\xi) \cdot \xi \geq c_0 \rho^{-1} |\xi|^2 \quad \forall \xi \in \mathbb{R}^3, \quad x \in \text{supp}(J) \cap D_{\rho/2}. \quad (3.8)$$

Next we shall establish a series of lemmas which provide several crucial relations and estimates for the proof of Theorem 2.1.

Lemma 3.2. *Let B_R be a central ball of radius R such that $D_\rho \Subset B_R$. Then the solutions $E_\rho, H_\rho \in H_{loc}(\nabla \wedge; \mathbb{R}^3)$ to the system (3.3) satisfy*

$$\begin{aligned} & \int_{D_\rho \setminus D_{\rho/2}} \sigma_l E_\rho^- \cdot \overline{E_\rho^-} dx + \int_{D_{\rho/2}} \sigma_a E_\rho^- \cdot \overline{E_\rho^-} dx \\ &= \Re \int_{\partial B_R} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x + \Re \int_{\partial B_R} (v \wedge \overline{E^i}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x \\ &+ \Re \int_{\partial B_R} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H^i)] ds_x + \Re \int_{D_\rho} J \cdot \overline{E_\rho^-} dx. \end{aligned} \quad (3.9)$$

Proof. First of all, it is easy to see that the solutions (E_ρ^\pm, H_ρ^\pm) to (3.3) satisfy

$$\nabla \wedge E_\rho^- = -i\omega\mu_\rho H_\rho^- \quad \text{in } D_\rho, \quad (3.10)$$

$$\nabla \wedge H_\rho^- = -i\omega\left(\varepsilon_\rho + i\frac{\sigma_\rho}{\omega}\right)E_\rho^- \quad \text{in } D_\rho, \quad (3.11)$$

$$\nabla \wedge E_\rho^+ = i\omega H_\rho^+, \quad \nabla \wedge H_\rho^+ = -i\omega E_\rho^+ \quad \text{in } B_R \setminus \overline{D}_\rho, \quad (3.12)$$

$$v \wedge E_\rho^- = v \wedge E_\rho^+ + v \wedge E^i \quad \text{on } \partial D_\rho, \quad (3.13)$$

$$v \wedge H_\rho^- = v \wedge H_\rho^+ + v \wedge H^i \quad \text{on } \partial D_\rho. \quad (3.14)$$

Using (3.12) and integrating by parts we can deduce

$$\begin{aligned}
 -i\omega \int_{B_R \setminus \bar{D}_\rho} E_\rho^+ \cdot \overline{E_\rho^+} ds &= \int_{B_R \setminus \bar{D}_\rho} (\nabla \wedge H_\rho^+) \cdot \overline{E_\rho^+} dx \\
 &= \int_{B_R \setminus \bar{D}_\rho} H_\rho^+ \cdot (\nabla \wedge \overline{E_\rho^+}) dx - \int_{\partial(B_R \setminus \bar{D}_\rho)} (v \wedge \overline{E_\rho^+}) \cdot H_\rho^+ ds_x \\
 &= -i\omega \int_{B_R \setminus \bar{D}_\rho} H_\rho^+ ds_x + \int_{\partial B_R} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x \\
 &\quad - \int_{\partial D_\rho} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x,
 \end{aligned} \tag{3.15}$$

while using (3.10)–(3.11) and integrating by parts, we can write

$$\begin{aligned}
 & - \int_{D_\rho \setminus \bar{D}_{\rho/2}} i\omega \left(\varepsilon_l + i \frac{\sigma_l}{\omega} \right) E_\rho^- \cdot \overline{E_\rho^-} dx - \int_{D_{\rho/2}} i\omega \left(\varepsilon_a + i \frac{\sigma_a}{\omega} \right) E_\rho^- \cdot \overline{E_\rho^-} dx \\
 &= \int_{D_\rho} (\nabla \wedge H_\rho^-) \cdot \overline{E_\rho^-} dx + \int_{D_\rho} J \cdot \overline{E_\rho^-} dx \\
 &= \int_{D_\rho} H_\rho^- \cdot (\nabla \wedge \overline{E_\rho^-}) dx - \int_{\partial D_\rho} (v \wedge \overline{E_\rho^-}) \cdot H_\rho^- ds_x + \int_{D_\rho} J \cdot \overline{E_\rho^-} dx \\
 &= \int_{D_\rho} H_\rho^- \cdot (-i\omega \mu_\rho H_\rho^-) dx + \int_{D_\rho} J \cdot \overline{E_\rho^-} dx + \int_{\partial D_\rho} (v \wedge \overline{E_\rho^-}) \cdot [v \wedge (v \wedge H_\rho^-)] ds_x.
 \end{aligned} \tag{3.16}$$

Now by taking the real parts of both sides of (3.16), we obtain

$$\begin{aligned}
 & \int_{D_\rho \setminus \bar{D}_{\rho/2}} \sigma_l E_\rho^- \cdot \overline{E_\rho^-} dx + \int_{D_{\rho/2}} \sigma_a E_\rho^- \cdot \overline{E_\rho^-} dx \\
 &= \Re \int_{\partial D_\rho} (v \wedge \overline{E_\rho^-}) \cdot [v \wedge (v \wedge H_\rho^-)] ds_x + \Re \int_{D_\rho} J \cdot \overline{E_\rho^-} dx.
 \end{aligned} \tag{3.17}$$

On the other hand, taking the real parts of both sides of (3.15), then adding them to (3.17), we arrive at

$$\begin{aligned}
 & \int_{D_\rho \setminus \bar{D}_{\rho/2}} \sigma_l E_\rho^- \cdot \overline{E_\rho^-} dx + \int_{D_{\rho/2}} \sigma_a E_\rho^- \cdot \overline{E_\rho^-} dx \\
 &= \Re \int_{\partial B_R} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x + \Re \int_{D_\rho} J \cdot \overline{E_\rho^-} dx \\
 &\quad - \Re \int_{\partial D_\rho} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x + \Re \int_{\partial D_\rho} (v \wedge \overline{E_\rho^-}) \cdot [v \wedge (v \wedge H_\rho^-)] ds_x.
 \end{aligned} \tag{3.18}$$

For the last two terms in (3.18), we can use the transmission conditions (3.13)–(3.14) and integration by parts to write

$$\int_{\partial D_\rho} (v \wedge \overline{E_\rho^-}) \cdot [v \wedge (v \wedge H_\rho^-)] ds_x - \int_{\partial D_\rho} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x$$

$$\begin{aligned}
 &= \int_{\partial D_\rho} (v \wedge \overline{E^i}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x + \int_{\partial D_\rho} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H^i)] ds_x \\
 &\quad + \int_{\partial D_\rho} (v \wedge \overline{E^i}) \cdot [v \wedge (v \wedge H^i)] ds_x,
 \end{aligned} \tag{3.19}$$

while the following holds for the first two terms in the RHS of (3.19),

$$\begin{aligned}
 &\Re \int_{\partial D_\rho} (v \wedge \overline{E^i}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x + \Re \int_{\partial D_\rho} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H^i)] ds_x \\
 &= \Re \int_{\partial B_R} (v \wedge \overline{E^i}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x + \Re \int_{\partial B_R} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H^i)] ds_x.
 \end{aligned} \tag{3.20}$$

In fact, we immediately derive by integration by parts that

$$\begin{aligned}
 &-\int_{\partial D_\rho} (v \wedge \overline{E^i}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x + \int_{\partial B_R} (v \wedge \overline{E^i}) \cdot [v \wedge (v \wedge H_\rho^+)] ds_x \\
 &= \int_{B_R \setminus \overline{D_\rho}} (\nabla \wedge H_\rho^+) \cdot \overline{E^i} dx - \int_{B_R \setminus \overline{D_\rho}} H_\rho^+ \cdot (\nabla \wedge \overline{E^i}) dx \\
 &= i\omega \int_{B_R \setminus \overline{D_\rho}} [-E_\rho^+ \cdot \overline{E^i} + H_\rho^+ \cdot \overline{H^i}] dx
 \end{aligned} \tag{3.21}$$

and

$$\begin{aligned}
 &-\int_{\partial D_\rho} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H^i)] ds_x + \int_{\partial B_R} (v \wedge \overline{E_\rho^+}) \cdot [v \wedge (v \wedge H^i)] ds_x \\
 &= i\omega \int_{B_R \setminus \overline{D_\rho}} [-E^i \cdot \overline{E_\rho^+} + H^i \cdot \overline{H_\rho^+}] dx.
 \end{aligned} \tag{3.22}$$

Clearly, (3.20) is a direct consequence of (3.21)–(3.22). For the last term in (3.19), we can use the Maxwell equations (1.4) and integration by parts to obtain

$$\begin{aligned}
 \int_{\partial D_\rho} (v \wedge \overline{E^i}) \cdot [v \wedge (v \wedge H^i)] ds_x &= \int_{D_\rho} ((v \wedge H^i) \cdot \overline{E^i} - H^i \cdot (\nabla \wedge \overline{E^i})) dx \\
 &= i\omega \int_{D_\rho} (-|E^i|^2 + |H^i|^2) dx.
 \end{aligned} \tag{3.23}$$

Now combining (3.18)–(3.20) with (3.23) gives (3.9), so completes the proof of Lemma 3.2. \square

In order to reduce the concerned scattering problem in the whole space \mathbb{R}^3 to a bounded domain problem, we next introduce the following auxiliary Maxwell system,

$$\begin{cases} \nabla \wedge E - i\omega\mu_0 H = 0 & \text{in } \mathbb{R}^3 \setminus \overline{B_R}, \\ \nabla \wedge H + i\omega\varepsilon_0 E = 0 & \text{in } \mathbb{R}^3 \setminus \overline{B_R}, \\ \lim_{|x| \rightarrow +\infty} |x| \left| (\nabla \wedge E)(x) \wedge \frac{x}{|x|} - i\omega E(x) \right| = 0. \end{cases} \tag{3.24}$$

Associated with the system (3.24), we introduce a boundary operator Λ , which maps the tangential component of the electric field to the tangential component of the magnetic field:

$$\Lambda(v \wedge E|_{\partial B_R}) = v \wedge H|_{\partial B_R} : TH_{\text{Div}}^{-1/2}(\partial B_R) \rightarrow TH_{\text{Div}}^{-1/2}(\partial B_R), \tag{3.25}$$

where $E, H \in H_{loc}(\nabla \wedge; \mathbb{R}^3 \setminus \bar{B}_R)$ are the unique solutions to (3.24). We choose R such that $D_\rho \Subset B_R \Subset \Omega$ and ω is not an interior EM eigenvalue in the sense that the following Maxwell equations have only the trivial solutions $\tilde{E} = \tilde{H} = 0$:

$$\begin{cases} \nabla \wedge \tilde{E} - i\omega\mu_0\tilde{H} = 0 & \text{in } B_R, \\ \nabla \wedge \tilde{H} + i\omega\varepsilon_0\tilde{E} = 0 & \text{in } B_R, \end{cases} \tag{3.26}$$

if $v \wedge \tilde{E}|_{\partial B_R} = 0$ or $v \wedge \tilde{H}|_{\partial B_R} = 0$. We know the boundary operator Λ in (3.25) is continuous and invertible [41].

Next, we shall establish some crucial estimates of the solutions $E_\rho, H_\rho \in H_{loc}(\nabla \wedge; \mathbb{R}^3)$ to the system (3.3).

Lemma 3.3. *The solutions E_ρ, H_ρ to the system (3.3) admit the following estimate,*

$$\begin{aligned} \int_{D_\rho \setminus D_{\rho/2}} |E_\rho^-|^2 dx &\leq C\rho^s \left\{ \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|\Lambda(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \right. \\ &\quad + \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|\Lambda(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \\ &\quad + \|v \wedge H^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \left. \right\} \\ &\quad + C\rho^{2s-1} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})}^2 + C\rho^s \|\tilde{J}\|_{L^2(D_{1/2})}^2, \end{aligned} \tag{3.27}$$

where C is a constant depending only on c_0 in (3.8).

Proof. Without loss of generality, we may assume that $\text{supp}(J) = D_{\rho/2}$. By using (2.6)–(2.7), (3.8), (3.40), and the Cauchy–Schwartz inequality, we first deduce from (3.9) that

$$\begin{aligned} c_0\rho^{-s} \|E_\rho^-\|_{L^2(D_\rho \setminus D_{\rho/2})}^2 + c_0\rho^{-1} \|E_\rho^-\|_{L^2(D_{\rho/2})}^2 \\ \leq \int_{D_\rho \setminus D_{\rho/2}} \sigma_l E_\rho^- \cdot \overline{E_\rho^-} dx + \int_{D_{\rho/2}} \sigma_a E_\rho^- \cdot \overline{E_\rho^-} dx \\ \leq \left\{ \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|\Lambda(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} + \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|\Lambda(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \right. \\ \left. + \|v \wedge H^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \right\} + \left| \int_{D_\rho} J \cdot \overline{E_\rho^-} dx \right|. \end{aligned} \tag{3.28}$$

For the last term above, it follows from the relation

$$\left\| \tilde{J}\left(\frac{\cdot}{\rho}\right) \right\|_{L^2(D_\rho)} = \rho^{3/2} \|\tilde{J}(\cdot)\|_{L^2(D)}$$

and (3.4) that

$$\begin{aligned} \left| \int_{D_\rho} J \cdot \overline{E_\rho^-} dx \right| &\leq \|J\|_{L^2(D_\rho \setminus D_{\rho/2})} \|E_\rho^-\|_{L^2(D_\rho \setminus D_{\rho/2})} + \|J\|_{L^2(D_{\rho/2})} \|E_\rho^-\|_{L^2(D_{\rho/2})} \\ &\leq \frac{\rho^s}{2c_0} \left\| \rho^{-2} \tilde{J}\left(\frac{\cdot}{\rho}\right) \right\|_{L^2(D_\rho \setminus D_{\rho/2})}^2 + \frac{c_0\rho^{-s}}{2} \|E_\rho^-\|_{L^2(D_\rho \setminus D_{\rho/2})}^2 \\ &\quad + \frac{\rho}{2c_0} \left\| \rho^{-2} \tilde{J}\left(\frac{\cdot}{\rho}\right) \right\|_{L^2(D_{\rho/2})}^2 + \frac{c_0\rho^{-1}}{2} \|E_\rho^-\|_{L^2(D_{\rho/2})}^2 \\ &= \frac{\rho^{s-1}}{2c_0} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})}^2 + \frac{c_0\rho^{-s}}{2} \|E_\rho^-\|_{L^2(D_\rho \setminus D_{\rho/2})}^2 \\ &\quad + \frac{1}{2c_0} \|\tilde{J}\|_{L^2(D_{1/2})}^2 + \frac{c_0\rho^{-s}}{2} \|E_\rho^-\|_{L^2(D_\rho \setminus D_{\rho/2})}^2, \end{aligned} \tag{3.29}$$

where the two terms involving E_ρ^- can be estimated by using (3.28)–(3.29) as follows

$$\begin{aligned} & \frac{c_0 \rho^{-s}}{2} \|E_\rho^-\|_{L^2(D_\rho \setminus D_{\rho/2})^3}^2 + \frac{c_0 \rho^{-1}}{2} \|E_\rho^-\|_{L^2(D_{\rho/2})^3}^2 \\ & \leq \left\{ \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|A(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} + \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|A(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \right. \\ & \quad \left. + \|v \wedge H^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \right\} + \frac{\rho^{s-1}}{2c_0} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})}^2 + \frac{1}{2c_0} \|\tilde{J}\|_{L^2(D_{1/2})}^2, \end{aligned} \quad (3.30)$$

which, along with (3.28), implies (3.27). \square

For our subsequent analysis, we need some estimates (Lemma 3.5) for the traces of the solutions (E_ρ, H_ρ) to the system (3.3). To the purpose we first establish an important auxiliary Sobolev extension result.

Lemma 3.4. For any $\phi \in H^{1/2}(\partial D)^3$, there exists $U \in H^2(\Omega)^3$ such that

1. $v \wedge U = 0$ on ∂D ,
2. $v \wedge (v \wedge (\nabla \wedge U)) = v \wedge (v \wedge \phi)$ on ∂D ,
3. $\|U\|_{H^2(D)^3} \leq C \|\phi\|_{H^{1/2}(\partial D)^3}$ with C being a constant depending only on D ,
4. $U = 0$ in $D_{1/2}$.

Proof. First, we let $(V, p) \in H^1(D)^3 \wedge L^2(D)$ be the solution to the following Stokes system (cf. [12])

$$\begin{cases} -\Delta V + \nabla p = 0 & \text{in } D, \\ \text{Div } V = 0 & \text{in } D, \\ V = v \wedge (v \wedge \phi) & \text{on } \partial D. \end{cases} \quad (3.31)$$

Moreover, there exists a positive constant C depending only on D such that

$$\|V\|_{H^1(D)^3} \leq C \|\phi\|_{H^{1/2}(\partial D)^3}. \quad (3.32)$$

Next, we introduce the following auxiliary system

$$\begin{cases} \nabla \wedge (\nabla \wedge U) = \nabla \wedge V & \text{in } D, \\ \text{Div } U = 0 & \text{in } D, \\ v \cdot U = 0 & \text{on } \partial D, \\ v \wedge U = 0 & \text{on } \partial D. \end{cases} \quad (3.33)$$

We know from [15, Section 1.5] that there exists a solution $U \in H^2(D)^3$ to the system (3.33) and it holds for some positive constant C depending only on D that

$$\|U\|_{H^2(D)^3} \leq C \|\nabla \wedge V\|_{L^2(\Omega)^3}. \quad (3.34)$$

We shall show $\nabla \wedge U = V$. To that end, we first note that (cf. [13] and [16])

$$v \cdot (\nabla \wedge U) = -\text{Div}(v \wedge U) = 0 \quad \text{on } \partial D. \quad (3.35)$$

But it follows from [40, Theorem 3.37] that

$$\nabla \wedge (\nabla \wedge U - V) = 0 \quad \text{in } D,$$

so there exists a $u \in H^1(D)$ such that

$$\nabla \wedge U - V = \nabla u \quad \text{in } D. \quad (3.36)$$

Clearly, we also have $u \in H^2(D)$. Then by taking the divergence of both sides of (3.36),

$$\Delta u = 0 \quad \text{in } D. \quad (3.37)$$

On the other hand, by taking the inner-product of both sides of (3.36) with v , we deduce

$$\frac{\partial u}{\partial \nu} = \nu \cdot (\nabla \wedge U) - \nu \cdot V = 0 \quad \text{on } \partial D,$$

which together with (3.37) immediately implies $\nabla u = 0$ in D . Therefore it follows from (3.36) that

$$\nabla \wedge U = V \quad \text{in } D. \tag{3.38}$$

By (3.31) and (3.38), we see $\nu \wedge (\nu \wedge (\nabla \wedge U)) = \nu \wedge (\nu \wedge V) = \nu \wedge (\nu \wedge \phi)$ on ∂D , which, along with (3.33) and (3.34), indicates readily that U fulfills the first 3 requirements of the extension function stated in the lemma. In order for U to also meet Condition (iv), we can multiply U by a properly selected smooth cut-off function χ that vanishes in $D_{1/2}$ and takes values 1 near ∂D , then χU will meet all the desired 4 conditions. \square

Lemma 3.5. *The following estimate holds for the solutions (E_ρ, H_ρ) to the system (3.3):*

$$\begin{aligned} \|(v \wedge E_\rho^-)(\rho \cdot)\|_{TH^{-1/2}(\partial D)} &\leq C\rho^{\frac{\zeta_1}{2}-2} \left\{ \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \|\Lambda(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \right. \\ &\quad + \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \|\Lambda(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \\ &\quad + \|v \wedge H^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \left. \right\} \\ &\quad + C\rho^{\frac{\zeta_1}{2}-2} \|\tilde{J}\|_{L^2(D_{1/2})^3} + C\rho^{\zeta_2-2} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3}, \end{aligned} \tag{3.39}$$

where ζ_1 and ζ_2 are given in (2.12)–(2.13), and C is a positive constant dependent only on D , Ω and c_0 in (3.8), but independent of E^i , H^i , \tilde{J} and ρ .

Proof. It suffices to show that the same estimate in (3.39) holds for $\|(v \wedge E_\rho^-)(\rho \cdot)\|_{H^{-1/2}(\partial D)^3}$. We shall make use of the following duality identity

$$\|(v \wedge E_\rho^-)(\rho \cdot)\|_{H^{-1/2}(\partial D)^3} = \sup_{\|\phi\|_{H^{1/2}(\partial \Omega)^3} \leq 1} \left| \int_{\partial D} (v \wedge E_\rho^-)(\rho x) \cdot \phi(x) ds_x \right|. \tag{3.40}$$

For $y \in D_\rho$, we let $x := y/\rho \in D$, and

$$E(x) := E_\rho^-(\rho x) = E_\rho^-(y), \quad H(x) := H_\rho^-(\rho x) = H_\rho^-(y).$$

Using Lemma 3.4, there exists a $U \in H^2(D)^3$ for any $\phi \in H^{1/2}(\partial D)^3$ such that Conditions (i)–(iv) in Lemma 3.4 are satisfied. Using (2.8) and this extension function U and its properties, we can compute as follows:

$$\begin{aligned} &\int_{\partial D} (v \wedge E_\rho^-)(\rho x) \cdot \phi(x) ds_x \\ &= - \int_{\partial D} \eta^{-1}(v \wedge E)(x) \cdot (v \wedge (\nu \wedge (\gamma^{-1} \nabla \wedge U)))(x) ds_x \\ &= \int_{\partial D} (v \wedge (\gamma^{-1} \nabla \wedge U))(x) \cdot \eta^{-1} E(x) ds_x - \int_{\partial D} (v \wedge (\gamma^{-1} \nabla \wedge E))(x) \cdot \eta^{-1} U(x) ds_x \\ &= \int_D (\nabla \wedge (\gamma^{-1} \nabla \wedge U))(x) \cdot \eta^{-1} E(x) dx - \int_D (\nabla \wedge (\gamma^{-1} \nabla \wedge E))(x) \cdot \eta^{-1} U(x) dx. \end{aligned} \tag{3.41}$$

On the other hand, for $y \in D_\rho \setminus \bar{D}_{\rho/2}$ it follows from (2.6) and (3.4) that

$$\begin{aligned} \nabla_y \wedge E_\rho^-(y) &= i\omega\mu_l(y)H_\rho^-(y), \\ \nabla_y \wedge H_\rho^-(y) &= -i\omega \left(\varepsilon_l(y) + i \frac{\sigma_l(y)}{\omega} \right) E_\rho^-(y) + J(y). \end{aligned} \tag{3.42}$$

Then it is straightforward to verify for $x \in D \setminus \bar{D}_{1/2}$ that

$$\begin{aligned} \nabla_x \wedge E(x) &= i\omega\rho^{1-t}\gamma H(x), \\ \nabla_x \wedge H(x) &= -i\omega\left(\rho^{1-r}\alpha(x) + i\rho^{1-s}\frac{\beta(x)}{\omega}\right)E(x) + \rho^{-1}\tilde{J}(x), \end{aligned} \tag{3.43}$$

and

$$\nabla_x \wedge (\gamma^{-1}(x)\nabla_x \wedge E(x)) = \omega^2\left(\rho^{2-t-r}\alpha(x) + i\rho^{2-t-s}\frac{\beta(x)}{\omega}\right)E(x) + i\omega\rho^{-t}\tilde{J}(x). \tag{3.44}$$

By combining (3.41) with (3.44), we obtain

$$\begin{aligned} &\int_{\partial D} (v \wedge E_\rho^-)(\rho x) \cdot \phi(x) ds_x \\ &= \eta^{-1} \int_{D \setminus \bar{D}_{1/2}} \left[(\nabla \wedge (\gamma^{-1}\nabla \wedge U))(x) - \omega^2\left(\rho^{2-t-r}\alpha(x) + i\rho^{2-t-s}\frac{\beta(x)}{\omega}\right)U(x) \right] \cdot E(x) dx \\ &\quad - i\omega\eta^{-1}\rho^{-t} \int_{D \setminus \bar{D}_{1/2}} \tilde{J}(x) \cdot U(x) dx. \end{aligned} \tag{3.45}$$

This immediately yields

$$\begin{aligned} \left| \int_{\partial D} (v \wedge E_\rho^-)(\rho x) \cdot \phi(x) \right| &\leq C\rho^\theta \|E\|_{L^2(D \setminus D_{1/2})} \|U\|_{H^2(D \setminus \bar{D}_{1/2})} + C\rho^{-t} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})} \|U\|_{H^2(D \setminus \bar{D}_{1/2})} \\ &\leq C(\rho^{-3/2+\theta} \|E_\rho^-\|_{L^2(D_\rho \setminus D_{\rho/2})} + \rho^{-t} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})}) \|\phi\|_{H^{1/2}(\partial D)^3}, \end{aligned} \tag{3.46}$$

where $\theta = \min(0, 2 - t - r, 2 - t - s)$, and C is a positive constant depending on $\alpha, \beta, \gamma, \omega$ and D , but independent of $\phi, \tilde{J}, E_\rho^-, \rho$. Then by (3.40) we know from (3.46) that

$$\|(v \wedge E_\rho^-)(\rho \cdot)\|_{H^{-1/2}(\partial D)^3} \leq C(\rho^{-3/2+\theta} \|E_\rho^-\|_{L^2(D_\rho \setminus D_{\rho/2})^3} + \rho^{-t} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3}).$$

Finally, by means of the estimates (3.2) and (3.27) we can directly show the existence of two generic constants C_1 and C_2 such that

$$\begin{aligned} \|(v \wedge E_\rho^-)(\rho \cdot)\|_{H^{-1/2}(\partial D)^3} &\leq C_1\rho^{-3/2+\theta} \left\{ \rho^{s/2} [\|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}] \|A(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \right. \\ &\quad + \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|A(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \\ &\quad + \|v \wedge H^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \left. \right]^{1/2} \\ &\quad + \rho^{(2s-1)/2} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3} + \rho^{s/2} \|\tilde{J}\|_{L^2(D_{1/2})^3} \left. \right\} + \rho^{-t} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3} \\ &\leq C_2\rho^{s/2-3/2+\theta} \left\{ \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \|A(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \right. \\ &\quad + \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \|A(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \\ &\quad + \|v \wedge H^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \left. \right\} \\ &\quad + C_2(\rho^{(2s-1)/2-3/2+\theta} + \rho^{-t}) \|\tilde{J}\|_{L^2(D \setminus D_{1/2})} + C_2\rho^{s/2-3/2+\theta} \|\tilde{J}\|_{L^2(D_{1/2})}, \end{aligned}$$

which proves (3.39) with

$$\begin{aligned} \xi_1 &= 2\left(2 + \frac{s}{2} - \frac{3}{2} + \theta\right) = \min(s + 1, s + 5 - 2(t + r), 5 - 2t - s), \\ \xi_2 &= 2 + \min\left(\frac{2s - 1}{2} - \frac{3}{2} + \theta, -t\right) = \min(s, s + 2 - t - r, 2 - t). \quad \square \end{aligned}$$

Lemma 3.6. For $\tau \in \mathbb{R}_+$, let $E_\tau, H_\tau \in H_{loc}(\nabla \wedge; \mathbb{R}^3 \setminus \overline{D}_\tau)$ be the solutions to the following scattering problem:

$$\begin{cases} \nabla \wedge E_\tau^+ - i\omega\mu_0 H_\tau^+ = 0 & \text{in } \mathbb{R}^3 \setminus \overline{D}_\tau, \\ \nabla \wedge H_\tau^+ + i\omega\varepsilon_0 E_\tau^+ = 0 & \text{in } \mathbb{R}^3 \setminus \overline{D}_\tau, \\ \nu \wedge E_\tau^+ = \psi \in TH_{\text{Div}}^{-1/2}(\partial D_\tau) & \text{on } \partial D_\tau, \\ \lim_{|x| \rightarrow \infty} |x| \left| (\nabla \wedge E_\tau^+)(x) \wedge \frac{x}{|x|} - i\omega E_\tau^+(x) \right| = 0. \end{cases} \quad (3.47)$$

Then there exists $\tau_0 \in \mathbb{R}_+$ such that the following estimate holds for $\tau < \tau_0$,

$$\| \nu \wedge E_\tau \|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \leq C\tau^2 \| \psi(\tau \cdot) \|_{H^{-1/2}(\partial D)^3}. \quad (3.48)$$

Moreover, if $\psi(x) = E^i(x)$ is the solution to (1.4) it holds that

$$\| \nu \wedge E_\tau \|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \leq C\tau^3 \| \nu \wedge E^i \|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}. \quad (3.49)$$

The constants C in (3.48)–(3.49) are generic, depending only on R, ω, τ_0 and D .

Proof. The proof follows a natural modification of the estimates derived in [11, Section 3]. \square

Remark 3.1. For the results in Lemma 3.6, we would like to mention some closely related studies on the scattering estimates due to small EM scatterers in [8,10], and on the low-frequency asymptotics of EM scattering in [9,18,38,41].

We are now ready to prove the main result of this work, Theorem 2.1. For the sake of exposition, we refer to the system (3.3) as the scattering problem in the virtual space and denote by $A_\infty^\rho(\hat{x}) := A_\infty(\hat{x}; E^i, (\Omega; \varepsilon_\rho, \mu_\rho, \sigma_\rho), J)$ the corresponding scattering amplitude. Noting that mapping F (see (2.2)) is identity outside Ω , we know $(E_\rho, H_\rho) = (\tilde{E}_\rho, \tilde{H}_\rho)$ in $\mathbb{R}^3 \setminus \overline{\Omega}$, and hence

$$A_\infty^\rho(\hat{x}; E^i) = \tilde{A}_\infty^\rho(\hat{x}; E^i), \quad \hat{x} \in \mathbb{S}^2. \quad (3.50)$$

Using these relations, it is easy to see that Theorem 2.1 is a direct consequence of the following theorem:

Theorem 3.1. Let $(\mathbb{R}^3; \varepsilon, \mu, \sigma)$ be the EM medium described in (3.5)–(3.7), and J be the current density given in (3.4), satisfying (3.8), and $A_\infty^\rho(\hat{x})$ be the scattering amplitude corresponding to E_ρ^+ in (3.3). Then there exists a positive constant ρ_0 such that the following estimate holds for $\rho < \rho_0$,

$$|A_\infty^\rho(\hat{x}; E^i)| \leq C(\rho^{\min(\zeta_1, 3)} \|E^i\|_{H(\nabla \wedge; \Omega)} + \rho^{\frac{\zeta_1}{2}} \|\tilde{J}\|_{L^2(D_{1/2})^3} + \rho^{\zeta_2} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3}), \quad (3.51)$$

where ζ_1 and ζ_2 are given in (2.12)–(2.13), and C is a positive constant depending only on $\alpha, \beta, \gamma, \omega, c_0$ in (3.8), C_0 in (2.7) and Ω, D , but independent of ρ, r, s, t and $\varepsilon_a, \mu_a, \sigma_a, \tilde{J}, E^i$.

Proof. Let $E_1^+, H_1^+ \in H_{loc}(\nabla \wedge; \mathbb{R}^3 \setminus \overline{D}_\rho)$ and $E_2^+, H_2^+ \in H_{loc}(\nabla \wedge; \mathbb{R}^3 \setminus \overline{D}_\rho)$ be the solutions to the following two Maxwell scattering systems respectively,

$$\begin{cases} \nabla \wedge E_1^+ - i\omega\mu_0 H_1^+ = 0 & \text{in } \mathbb{R}^3 \setminus \overline{D}_\rho, \\ \nabla \wedge H_1^+ + i\omega\varepsilon_0 E_1^+ = 0 & \text{in } \mathbb{R}^3 \setminus \overline{D}_\rho, \\ \nu \wedge E_1^+ = \nu \wedge E_\rho \in TH_{\text{Div}}^{-1/2}(\partial D_\rho) & \text{on } \partial D_\rho, \\ \lim_{|x| \rightarrow +\infty} |x| \left| (\nabla \wedge E_1^+)(x) \wedge \frac{x}{|x|} - i\omega E_1^+(x) \right| = 0, \end{cases} \quad (3.52)$$

$$\begin{cases} \nabla \wedge E_2^+ - i\omega\mu_0 H_2^+ = 0 & \text{in } \mathbb{R}^3 \setminus \overline{D}_\rho, \\ \nabla \wedge H_2^+ + i\omega\varepsilon_0 E_2^+ = 0 & \text{in } \mathbb{R}^3 \setminus \overline{D}_\rho, \\ \nu \wedge E_2^+ = \nu \wedge E^i \in TH_{\text{Div}}^{-1/2}(\partial D_\rho) & \text{on } \partial D_\rho, \\ \lim_{|x| \rightarrow +\infty} |x| \left| (\nabla \wedge E_2^+)(x) \wedge \frac{x}{|x|} - i\omega E_2^+(x) \right| = 0. \end{cases} \quad (3.53)$$

It is easy to see that

$$E_\rho^+ = E_1^+ - E_2^+ \quad \text{in } \mathbb{R}^3 \setminus \bar{D}_\rho. \tag{3.54}$$

By taking $\tau = \rho$ in Lemma 3.6 and using Lemma 3.5, we have

$$\begin{aligned} & \|v \wedge E_\rho^+\|_{TH^{-1/2}(\partial B_R)} \\ & \leq C_1 \rho^{\frac{\xi_1}{2}} \left\{ \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \|A(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \right. \\ & \quad + \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \|A(v \wedge E_\rho^+)\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \\ & \quad \left. + \|v \wedge H^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \|v \wedge E_\rho^+\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)}^{1/2} \right\} \\ & + C_1 \rho^3 \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} + C_1 \rho^{\frac{\xi_1}{2}} \|\tilde{J}\|_{L^2(D_{1/2})^3} + C_1 \rho^{\xi_2} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3}. \end{aligned} \tag{3.55}$$

In the sequel, we let

$$\|A\|_{\mathcal{L}(TH^{-1/2}(\partial B_R), TH^{-1/2}(\partial B_R))} \leq \epsilon_0. \tag{3.56}$$

Then it follows from (3.55) and (3.56) that

$$\begin{aligned} \|v \wedge E_\rho^+\|_{TH^{-1/2}(\partial B_R)} & \leq C_1 \epsilon_0 \rho^{\frac{\xi_1}{2}} \|v \wedge E_\rho^+\|_{TH^{-1/2}(\partial B_R)} + C_1^2 \epsilon_0 \rho^{\xi_1} \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \\ & \quad + \frac{1}{4} \|v \wedge E_\rho^+\|_{TH^{-1/2}(\partial B_R)} + C_1^2 \rho^{\xi_1} \|v \wedge H^i\|_{TH^{-1/2}(\partial B_R)} \\ & \quad + \frac{1}{4} \|v \wedge E_\rho^+\|_{TH^{-1/2}(\partial B_R)} + C_1 \rho^3 \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} \\ & \quad + C_1 \rho^{\frac{\xi_1}{2}} \|\tilde{J}\|_{L^2(D_{1/2})^3} + C_1 \rho^{\xi_2} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3}. \end{aligned} \tag{3.57}$$

By taking $\rho_0 \in \mathbb{R}_+$ to be sufficiently small such that $C_1 \epsilon_0 \rho^{\xi_1/2} < 1/4$, then the first, third and fifth terms in the RHS of estimate (3.57) can be absorbed by the LHS, leading to the existence of a constant $C_2 > 0$ such that

$$\begin{aligned} \|v \wedge E_\rho^+\|_{TH^{-1/2}(\partial B_R)} & \leq C_2 \rho^{\xi_1} (\|v \wedge E^i\|_{TH^{-1/2}(\partial B_R)} + \|v \wedge H^i\|_{TH^{-1/2}(\partial B_R)}) \\ & \quad + C_2 \rho^3 \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} + C_1 \rho^{\frac{\xi_1}{2}} \|\tilde{J}\|_{L^2(D_{1/2})^3} + C_1 \rho^{\xi_2} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3}. \end{aligned} \tag{3.58}$$

We can directly verify that E^i and H^i satisfies the vector-valued Helmholtz equations

$$\Delta E^i + \omega^2 E^i = 0, \quad \Delta H^i + \omega^2 H^i = 0 \quad \text{in } \Omega,$$

then obtain by the interior estimates for elliptic equations that

$$\begin{aligned} \|v \wedge E^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} + \|v \wedge H^i\|_{TH_{\text{Div}}^{-1/2}(\partial B_R)} & \leq C_3 (\|E^i\|_{H(\nabla \wedge; B_R)} + \|H^i\|_{H(\nabla \wedge; B_R)}) \\ & \leq C_4 (\|E^i\|_{L^2(\Omega)} + \|H^i\|_{L^2(\Omega)}) \\ & \leq C_5 \|E^i\|_{H(\nabla \wedge; \Omega)}, \end{aligned} \tag{3.59}$$

where C_3, C_4 and C_5 are generic positive constants depending only on R, Ω and ω . By combining (3.58) and (3.59), one readily has that

$$\|v \wedge E_\rho^+\|_{TH^{-1/2}(\partial B_R)} \leq C_6 (\rho^{\min(\xi_1, 3)} \|E^i\|_{H(\nabla \wedge; \Omega)} + \rho^{\frac{\xi_1}{2}} \|\tilde{J}\|_{L^2(D_{1/2})^3} + \rho^{\xi_2} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3}). \tag{3.60}$$

Moreover, we know by (3.56) that

$$\|v \wedge H_\rho^+\|_{TH^{-1/2}(\partial B_R)} \leq C_6 \epsilon_0 (\rho^{\min(\xi_1, 3)} \|E^i\|_{H(\nabla \wedge; \Omega)} + \rho^{\frac{\xi_1}{2}} \|\tilde{J}\|_{L^2(D_{1/2})^3} + \rho^{\xi_2} \|\tilde{J}\|_{L^2(D \setminus D_{1/2})^3}). \tag{3.61}$$

Now the desired estimate (3.51) follows directly from (3.60)–(3.61) and the following integral representation (cf. [16]):

$$A_{\infty}^{\rho}(\hat{x}) = \frac{i\omega}{4\pi} \hat{x} \wedge \int_{\partial B_R} \{v(y) \wedge E_{\rho}^{+}(y) + (v(y) \wedge H_{\rho}^{+}(y) \wedge \hat{x}) e^{-i\omega \hat{x} \cdot y} ds_y. \quad \square \quad (3.62)$$

Acknowledgements

The authors would like to thank two anonymous referees and the board member for their instructive comments. In addition, the authors are very grateful to Annalisa Buffa for her constructive suggestions and great help in the establishment of the results in Lemma 3.4. The research of GB was supported in part by the NSF grants DMS-0908325, DMS-0968360, DMS-1211292, the ONR grant N00014-12-1-0319, a Key Project of the Major Research Plan of NSFC (No. 91130004), and a special research grant from Zhejiang University. The research of HL is supported by NSF grant DMS-1207784. The work of JZ was supported by Hong Kong RGC grants (projects 405110 and 404611) and the CUHK Focused Investment Scheme 2012/2014.

References

- [1] A. Alu, N. Engheta, Achieving transparency with plasmonic and metamaterial coatings, *Phys. Rev. E* 72 (2005) 016623.
- [2] H. Ammari, H. Kang, H. Lee, M. Lim, S. Yu, Enhancement of near-cloaking for the full Maxwell equations, preprint, arXiv:1212.5685.
- [3] H. Ammari, G. Ciraolo, H. Kang, H. Lee, G. Milton, Spectral analysis of a Neumann–Poincaré operator and analysis of cloaking due to anomalous localized resonance, *Arch. Ration. Mech. Anal.* 208 (2013) 667–692.
- [4] H. Ammari, E. Iakovleva, D. Lesselier, G. Perrusson, MUSIC-type electromagnetic imaging of a collection of small three-dimensional inclusions, *SIAM J. Sci. Comput.* 29 (2007) 674–709.
- [5] H. Ammari, H. Kang, H. Lee, M. Lim, Enhancement of near-cloaking using generalized polarization tensors vanishing structures. Part I: The conductivity problem, *Commun. Math. Phys.* 317 (2013) 253–266.
- [6] H. Ammari, H. Kang, H. Lee, M. Lim, Enhancement of near cloaking. Part II: The Helmholtz equation, *Commun. Math. Phys.* 317 (2013) 485–502.
- [7] H. Ammari, J. Garnier, V. Jugnon, H. Kang, M. Lim, H. Lee, Enhancement of near-cloaking. Part III: Numerical simulations, statistical stability, and related questions, *Contemp. Math.* 577 (2012) 1–24.
- [8] H. Ammari, H. Kang, Reconstruction of Small Inhomogeneities from Boundary Measurements, *Lecture Notes in Mathematics*, vol. 1846, Springer-Verlag, Berlin, Heidelberg, 2004.
- [9] H. Ammari, J.-C. Nédélec, Low-frequency electromagnetic scattering, *SIAM J. Math. Anal.* 31 (2000) 836–861.
- [10] H. Ammari, M. Vogelius, D. Volkov, Asymptotic formulas for per-turbations in the electromagnetic fields due to the presence of inhomogeneities of small diameter. II. The full Maxwell equations, *J. Math. Pures Appl.* (9) 80 (2001) 769–814.
- [11] G. Bao, H.Y. Liu, Nearly cloaking the full Maxwell equations, arXiv:1210.2447, 2012.
- [12] H. Beirão da Veiga, A new approach to the L^2 -regularity theorems for linear stationary nonhomogeneous Stokes systems, *Port. Math.* 54 (1997) 271–286.
- [13] A. Buffa, M. Costabel, D. Sheen, On traces for $H(\text{curl}, \Omega)$ for Lipschitz domains, *J. Math. Anal. Appl.* 276 (2002) 845–876.
- [14] H. Chen, C.T. Chan, Acoustic cloaking and transformation acoustics, *J. Phys. D, Appl. Phys.* 43 (2010) 113001.
- [15] T. Cheng, Error estimates of a numerical scheme for a geodynamo system, PhD thesis, The Chinese University of Hong Kong, 2004.
- [16] D. Colton, R. Kress, *Inverse Acoustic and Electromagnetic Scattering Theory*, second ed., Springer-Verlag, Berlin, 1998.
- [17] M. Costabel, F.L. Louër, On the Kleinman–Martin integral equation method for electromagnetic scattering by a dielectric body, *SIAM J. Appl. Math.* 71 (2011) 635–656.
- [18] G. Dassios, R. Kleinman, *Low Frequency Scattering*, Oxford University Press, Oxford, 2000.
- [19] A. Greenleaf, Y. Kurylev, M. Lassas, G. Uhlmann, Improvement of cylindrical cloaking with SHS lining, *Opt. Express* 15 (2007) 12717–12734.
- [20] A. Greenleaf, Y. Kurylev, M. Lassas, G. Uhlmann, Isotropic transformation optics: approximate acoustic and quantum cloaking, *New J. Phys.* 10 (2008) 115024.
- [21] A. Greenleaf, Y. Kurylev, M. Lassas, G. Uhlmann, Full-wave invisibility of active devices at all frequencies, *Commun. Math. Phys.* 279 (2007) 749–789.
- [22] A. Greenleaf, Y. Kurylev, M. Lassas, G. Uhlmann, Invisibility and inverse problems, *Bull. Am. Math. Soc.* 46 (2009) 55–97.
- [23] A. Greenleaf, Y. Kurylev, M. Lassas, G. Uhlmann, Cloaking devices, electromagnetic wormholes and transformation optics, *SIAM Rev.* 51 (2009) 3–33.
- [24] A. Greenleaf, M. Lassas, G. Uhlmann, Anisotropic conductivities that cannot be detected by EIT, *Physiol. Meas.* 24 (2003) 413–420 (special issue on Impedance Tomography).
- [25] A. Greenleaf, M. Lassas, G. Uhlmann, On nonuniqueness for Calderón’s inverse problem, *Math. Res. Lett.* 10 (2003) 685–693.
- [26] P. Grisvard, *Elliptic Problems in Nonsmooth Domains*, Monographs Stud. Math., vol. 24, Pitman, Boston, 1985.

- [27] I. Kocycigit, H.Y. Liu, H.P. Sun, Regular scattering patterns from near-cloaking devices and their implications for invisibility cloaking, *Inverse Probl.* 29 (2013) 045005.
- [28] R. Kohn, D. Onofrei, M. Vogelius, M. Weinstein, Cloaking via change of variables for the Helmholtz equation, *Commun. Pure Appl. Math.* 63 (2010) 973–1016.
- [29] R. Kohn, H. Shen, M. Vogelius, M. Weinstein, Cloaking via change of variables in electrical impedance tomography, *Inverse Probl.* 24 (2008) 015016.
- [30] C.E. Kenig, M. Salo, G. Uhlmann, Inverse problems for the anisotropic Maxwell equations, *Duke Math. J.* 157 (2011) 369–419.
- [31] R. Leis, *Initial Boundary Value Problems in Mathematical Physics*, Teubner, Wiley, Stuttgart, Chichester, 1986.
- [32] U. Leonhardt, Optical conformal mapping, *Science* 312 (2006) 1777–1780.
- [33] J. Li, H.Y. Liu, H. Sun, Enhanced approximate cloaking by SH and FSH lining, *Inverse Probl.* 28 (2012) 075011.
- [34] J.L. Lions, E. Magenes, *Non-Homogeneous Boundary Value Problems and Applications I*, Springer-Verlag, 1970.
- [35] H.Y. Liu, H. Sun, Enhanced near-cloak by FSH lining, *J. Math. Pures Appl.* (9) 99 (2013) 17–42.
- [36] H.Y. Liu, Virtual reshaping and invisibility in obstacle scattering, *Inverse Probl.* 25 (2009) 045006.
- [37] H.Y. Liu, T. Zhou, On approximate electromagnetic cloaking by transformation media, *SIAM J. Appl. Math.* 71 (2011) 218–241.
- [38] P.A. Martin, *Multiple Scattering: Interaction of Time-Harmonic Waves with N Obstacles*, Cambridge Univ. Press, Cambridge, 2006.
- [39] G.W. Milton, N.-A.P. Nicorovici, On the cloaking effects associated with anomalous localized resonance, *Proc. R. Soc. A* 462 (2006) 3027–3095.
- [40] P. Monk, *Finite Element Methods for Maxwell's Equations*, Clarendon Press, Oxford, 2003.
- [41] J.C. Nédélec, *Acoustic and Electromagnetic Equations: Integral Representations for Harmonic Problems*, Springer-Verlag, New York, 2001.
- [42] A.N. Norris, Acoustic cloaking theory, *Proc. R. Soc. A* 464 (2008) 2411–2434.
- [43] P. Ola, L. Päivärinta, E. Somersalo, An inverse boundary value problem in electrodynamics, *Duke Math. J.* 70 (1993) 617–653.
- [44] P. Ola, E. Somersalo, Electromagnetic inverse problems and generalized Sommerfeld potentials, *SIAM J. Appl. Math.* 56 (1996) 1129–1145.
- [45] J.B. Pendry, D. Schurig, D.R. Smith, Controlling electromagnetic fields, *Science* 312 (2006) 1780–1782.
- [46] Z. Ruan, M. Yan, C.W. Neff, M. Qiu, Ideal cylindrical cloak: Perfect but sensitive to tiny perturbations, *Phys. Rev. Lett.* 99 (11) (2007) 113903.
- [47] G. Uhlmann, Visibility and invisibility, in: 6th International Congress on Industrial and Applied Mathematics, ICIAM 07, Eur. Math. Soc., Zürich, 2009, pp. 381–408.
- [48] M. Yan, W. Yan, M. Qiu, Invisibility cloaking by coordinate transformation, in: *Progress in Optics*, vol. 52, Elsevier, 2008, pp. 261–304, Chapter 4.