

## MATH 2028 Honours Advanced Calculus II

2023-24 Term 1

### Problem Set 5

due on Oct 20, 2023 (Friday) at 11:59PM

**Instructions:** You are allowed to discuss with your classmates or seek help from the TAs but you are required to write/type up your own solutions. You can either type up your assignment or scan a copy of your written assignment into ONE PDF file and submit through Blackboard on/before the due date. Please remember to write down your name and student ID. **No late homework will be accepted.**

#### Problems to hand in

1. Find the area of the ellipse  $\frac{x^2}{a^2} + \frac{y^2}{b^2} \leq 1$  and the volume of the ellipsoid  $\frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} \leq 1$ .
2. Let  $\Omega \subset \mathbb{R}^2$  be the open subset in the first quadrant bounded by  $y = 0$ ,  $y = x$ ,  $xy = 1$  and  $x^2 - y^2 = 1$ . Evaluate the integral  $\int_{\Omega} (x^2 + y^2) dA$  using the change of variables  $u = xy$ ,  $v = x^2 - y^2$ .
3. Let  $B^n(r)$  denote the closed ball of radius  $a$  in  $\mathbb{R}^n$  centered at the origin.
  - (a) Show that  $\text{Vol}(B^n(r)) = \lambda_n r^n$  for some positive constant  $\lambda_n$ .
  - (b) Compute  $\lambda_1$  and  $\lambda_2$ .
  - (c) Compute  $\lambda_n$  in terms of  $\lambda_{n-2}$ .
  - (d) Deduce a formula for  $\lambda_n$  for general  $n$ . (*Hint: consider two cases, according to whether  $n$  is even or odd.*)

#### Suggested Exercises

1. Let  $\Omega \subset \mathbb{R}^3$  be the open subset

$$\Omega = \{(x, y, z) \mid x^2 + y^2 + z^2 < a^2, z > 0\}.$$

Evaluate the integral  $\int_{\Omega} z dV$  using spherical coordinates. Justify your answer carefully.

2. Let  $\Omega \subset \mathbb{R}^2$  be the open subset lying in the first quadrant and bounded by the hyperbolas  $xy = 1$ ,  $xy = 2$  and the lines  $y = x$ ,  $y = 4x$ . Evaluate the integral  $\int_{\Omega} x^2 y^3 dA$ .
3. Let  $\Omega \subset \mathbb{R}^3$  be the open tetrahedron with vertices  $(0, 0, 0)$ ,  $(1, 2, 3)$ ,  $(0, 1, 2)$  and  $(-1, 1, 1)$ . Evaluate the integral  $\int_{\Omega} (x + 2y - z) dV$ .
4. Let  $\Omega \subset \mathbb{R}^2$  be the open subset bounded by  $x = 0$ ,  $y = 0$  and  $x + y = 1$ . Evaluate the integral  $\int_{\Omega} \cos\left(\frac{x-y}{x+y}\right) dA$ . (*Hint: note that the integrand is un-defined at the origin.*)
5. Let  $\Omega \subset \mathbb{R}^2$  be the open subset bounded by the curve  $x^2 - xy + 2y^2 = 1$ . Express the integral  $\int_{\Omega} xy dA$  as an integral over the unit disk in  $\mathbb{R}^2$  centered at the origin.
6. Find the volume of the solid region  $\Omega \subset \mathbb{R}^3$  bounded below by the surface  $z = x^2 + 2y^2$  and above by the plane  $z = 2x + 6y + 1$  by expressing it as an integral over the unit disk in  $\mathbb{R}^2$  centered at the origin.

7. Let  $\Omega \subset \mathbb{R}^2$  be the open triangle with vertices  $(0,0)$ ,  $(1,0)$  and  $(0,1)$ . Evaluate the integral  $\int_{\Omega} e^{(x-y)/(x+y)} dA$
- (a) using polar coordinates;
  - (b) using the change of variables  $u = x - y$ ,  $v = x + y$ .

### Challenging Exercises

1. (a) Let  $g : A \rightarrow \mathbb{R}^n$  be a  $C^1$  map from an open subset  $A \subset \mathbb{R}^n$ . Denote the set

$$S = \{x \in A \mid \det Dg(x) = 0\}.$$

Prove that  $g(S)$  has measure zero in  $\mathbb{R}^n$ .

- (b) Use (a) to prove that the change of variables theorem still holds even if  $g$  is only a  $C^1$  bijective map.